


NOA-N

Shower system with thermostatic mixer - 2 functions

TECHNICAL DRAWINGS



FEATURES

For wall-mounted installation (showers). Thermostatic cartridge (38º safety stop). With 178mm handheld shower and Ø200mm overhead shower. Estimated water consumption: 5,5 l/min. Dual lever. Telescopic system (adjustable bar height). In the packaging: shower system, 170cm flexible hose and fixing kit.

Length: 245 mm

Width: 565 mm

Height: 1200 mm

© Copyright 2026, Sanitana S.A - All rights reserved | 24-11-2026 | http://www.sanitana.com/products/shower-system-thermostatic-mixer-2functions-S502209000###02?sku=S50220900012602









© Copyright 2026, Sanitana S.A - All rights reserved | 24-11-2026 | http://www.sanitana.com/products/shower-system-thermostatic-mixer-2functions-S502209000###02?sku=S50220900012602













© Copyright 2026, Sanitana S.A - All rights reserved | 24-11-2026 | http://www.sanitana.com/products/shower-system-thermostatic-mixer-2functions-S502209000###02?sku=S50220900012602

NOA-N



Noa-N is a faucet collection designed to provide effective water-saving solutions. A smart choice for those seeking functionality and economy in daily bathroom use.

INSTALLATION AND USER MANUALS

Installation Handbook

Product Technical Fact Sheet - Documents

© Copyright 2026, Sanitana S.A - All rights reserved | 24-11-2026 | http://www.sanitana.com/products/shower-system-thermostatic-mixer-2functions-S502209000###02?sku=S50220900012602